

Refine Search

Search Results -

Term	Documents
INTERPOLATION	2147
INTERPOLATIONS	41
(INTERPOLATION AND 21 AND 19).EPAB.	1
(INTERPOLATION AND L19 AND L21).EPAB.	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L36

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, May 19, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

Set
Name Query

Hit
Count **Set**
Name
result
set

side by
 side

DB=EPAB; PLUR=YES; OP=ADJ

L36 interpolation and L19 and L21

1 L36

L35 L34 and L23

0 L35

L34 L33 and L21

13 L34

L33 L31 and L19

396 L33

L32 L31 and L19 and L20

0 L32

L31 (324/300 | 324/301 | 324/302 | 324/303 | 324/304 | 324/305 | 324/306 | 324/307
 | 324/308 | 324/309 | 324/310 | 324/311 | 324/312 | 324/313 | 324/314 | 324/315
 | 324/316 | 324/317 | 324/318 | 324/319 | 324/320 | 324/321 | 324/322 or 600/410
 | 600/411 | 600/412 | 600/413 | 600/414 | 600/415 | 600/416 | 600/417 | 600/418
 | 600/419 | 600/420 | 600/421 | 600/422 | 600/423 | 600/424 | 600/425 | 600/426

872 L31

|600/427 |600/428 |600/429 |600/430 |600/431 |600/432 |600/433 |600/434
 |600/435 |600/436 |600/437 |600/438 |600/439 |600/440 |600/441 |600/442
 |600/443 |600/444 |600/445).ccls.

<u>L30</u>	EP-1723906-A1.did.	0	<u>L30</u>
<u>L29</u>	L20 and ((smooth\$4) and ((three-dimension\$4) or 3D))	1	<u>L29</u>
<u>L28</u>	EP-1723906-A1.did.	0	<u>L28</u>
<u>L27</u>	EP-1723906-A1.did.	0	<u>L27</u>
<u>L26</u>	EP-1723906-A1.did.	0	<u>L26</u>
<u>L25</u>	EP-1723906-A1.did.	0	<u>L25</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L24</u>	L20 and (region near reduction)	3	<u>L24</u>
<u>L23</u>	L22 and L20	16	<u>L23</u>
<u>L22</u>	L21 and L19	2577	<u>L22</u>
<u>L21</u>	((radio near frequency) or radiofrequency of RF) adj (coil or antenna or transmitter or receiver or transceiver)	19945	<u>L21</u>
<u>L20</u>	(sensitivity near map)	290	<u>L20</u>
<u>L19</u>	(magnetic adj resonance) or mri or nmr	251942	<u>L19</u>
<i>DB=EPAB; PLUR=YES; OP=ADJ</i>			
<u>L18</u>	interpolation and L1 and L3	1	<u>L18</u>
<u>L17</u>	L16 and L5	0	<u>L17</u>
<u>L16</u>	L15 and L3	13	<u>L16</u>
<u>L15</u>	L13 and L1	396	<u>L15</u>
<u>L14</u>	L13 and L1 and L2	0	<u>L14</u>
<u>L13</u>	(324/300-322 or 600/410-445).ccls.	872	<u>L13</u>
<u>L12</u>	EP-1723906-A1.did.	0	<u>L12</u>
<u>L11</u>	L2 and ((smooth\$4) and ((three-dimension\$4) or 3D))	1	<u>L11</u>
<u>L10</u>	EP-1723906-A1.did.	0	<u>L10</u>
<u>L9</u>	EP-1723906-A1.did.	0	<u>L9</u>
<u>L8</u>	EP-1723906-A1.did.	0	<u>L8</u>
<u>L7</u>	EP-1723906-A1.did.	0	<u>L7</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<u>L6</u>	L2 and (region near reduction)	3	<u>L6</u>
<u>L5</u>	L4 and L2	16	<u>L5</u>
<u>L4</u>	L3 and L1	2577	<u>L4</u>
<u>L3</u>	((radio near frequency) or radiofrequency of RF) adj (coil or antenna or transmitter or receiver or transceiver)	19945	<u>L3</u>
<u>L2</u>	(sensitivity near map)	290	<u>L2</u>
<u>L1</u>	(magnetic adj resonance) or mri or nmr	251942	<u>L1</u>

END OF SEARCH HISTORY

Create A Case

Select?	Database	Query	Plural Op	Thesaurus	Set Name
<input checked="" type="checkbox"/>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(magnetic adj resonance) or mri or nmr	YES	ADJ	L1
<input checked="" type="checkbox"/>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(sensitivity near map)	YES	ADJ	L2
<input checked="" type="checkbox"/>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	((radio near frequency) or radiofrequency of RF) adj (coil or antenna or transmitter or receiver or transceiver)	YES	ADJ	L3
<input checked="" type="checkbox"/>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L3 and L1	YES	ADJ	L4
<input checked="" type="checkbox"/>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L4 and L2	YES	ADJ	L5
<input checked="" type="checkbox"/>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	L2 and (region near reduction)	YES	ADJ	L6
<input checked="" type="checkbox"/>	EPAB	EP-1723906- A1.did.	YES	ADJ	L7
<input checked="" type="checkbox"/>	EPAB	EP-1723906- A1.did.	YES	ADJ	L8
<input checked="" type="checkbox"/>	EPAB	EP-1723906- A1.did.	YES	ADJ	L9
<input checked="" type="checkbox"/>	EPAB	EP-1723906- A1.did.	YES	ADJ	L10
<input checked="" type="checkbox"/>	EPAB	L2 and ((smooth\$4) and ((three- dimension\$4) or 3D))	YES	ADJ	L11
<input checked="" type="checkbox"/>	EPAB	EP-1723906- A1.did.	YES	ADJ	L12
<input checked="" type="checkbox"/>	EPAB	(324/300-322 or 600/410-445).ccls.	YES	ADJ	L13
<input checked="" type="checkbox"/>	EPAB	L13 and L1 and L2	YES	ADJ	L14
<input checked="" type="checkbox"/>	EPAB	L13 and L1	YES	ADJ	L15
<input checked="" type="checkbox"/>	EPAB	L15 and L3	YES	ADJ	L16
<input checked="" type="checkbox"/>	EPAB	L16 and L5	YES	ADJ	L17
<input checked="" type="checkbox"/>	EPAB	interpolation and L1 and L3	YES	ADJ	L18
<input checked="" type="checkbox"/>	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	(magnetic adj resonance) or mri or nmr (sensitivity near	YES	ADJ	L19

✓	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBDmap)	YES	ADJ	L20
✓	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD	YES	ADJ	L21
✓	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBDL21 and L19	YES	ADJ	L22
✓	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBDL22 and L20	YES	ADJ	L23
✓	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBDL20 and (region near reduction)	YES	ADJ	L24
✓	EPAB	YES	ADJ	L25
✓	EPAB	YES	ADJ	L26
✓	EPAB	YES	ADJ	L27
✓	EPAB	YES	ADJ	L28
✓	EPAB	YES	ADJ	L29
✓	EPAB	YES	ADJ	L30
✓	EPAB	YES	ADJ	L31

		600/433 600/434		
		600/435 600/436		
		600/437 600/438		
		600/439 600/440		
		600/441 600/442		
		600/443 600/444		
		600/445).cccls.		
<input checked="" type="checkbox"/>	EPAB	L31 and L19 and L20	YES ADJ	L32
<input checked="" type="checkbox"/>	EPAB	L31 and L19	YES ADJ	L33
<input checked="" type="checkbox"/>	EPAB	L33 and L21	YES ADJ	L34
<input checked="" type="checkbox"/>	EPAB	L34 and L23	YES ADJ	L35
<input checked="" type="checkbox"/>	EPAB	interpolation and L19 and L21	YES ADJ	L36

Please enter the case name:

Rules for naming Cases

- Case names can only contain alphanumeric characters including underscore (_).
- Any other special characters or punctuation characters will be automatically removed prior to saving the case.
- All white space characters will be replaced by an underscore.